



scan
domestic



scan
cool



**HOUSEHOLD
PROFESSIONAL**



Introduction

Scandomestic is a young company employing staff with a long experience in commercial and household appliances. Scandomestic imports, stocks and distributes commercial and household appliances, and has customers in all European markets as well as a number of overseas markets.

Our production takes place in close cooperation with our customers. We have direct contact to our customers and react quickly to changes in market trends. Our sales staff possess considerable market knowledge and we wish to serve our customers in an atmosphere of flexibility, proficiency and credibility. We want Scandomestic to be considered as a provider of high-quality products.

In addition to standard appliances we wish to be up front with new trends and ideas in the trade in order to be an attractive partner for existing and potentially new customers.

Scandomestic is located in the middle of Jutland in Denmark with easy access to ports and international roads.

In order to fulfil customer requirements, we have constantly around 30-35.000 units in stock which ensures fast and efficient deliveries.

Scandomestic uses the brand names Scandomestic, ScanCool and ScanCommercial.

Scandomestic - a cool flexible partner ...

BØRSEN.
GAZELLE 2014

BØRSEN.
GAZELLE 2015

AAA

Highest creditworthiness

© Bisnode 2016

Contents

Table Tops	4
Refrigerators	5 - 9
Built-in Refrigerators / Combis	10 - 11
Upright Freezers	12 - 13
Combi Models.	14 - 19
Chest Freezers	20 - 21
>>Retro Style<<	22 - 23
Dishwashers.	24 - 25
Washing Machines / Dryers.	26
Micro- / Combi Ovens	27
Built-in Ovens.	28
Cookers.	29
Ceramic- / Induction Hobs.	30 - 31
Hoods	32 - 33
Wine Coolers	34 - 35
Coca-Cola Coolers.	36
Can Coolers.	37
Minibars / Back Bars.	38 - 39
Display Coolers.	40 - 44
Open Top Display Cooler	45
Open Front Coolers.	46 - 47
Showcases	48
Heat Cabinets.	49
Display Freezers	50 - 53
Storage Freezers.	54
Service Cabinets.	55 - 57
Gastronorm - Stainless Steel	58 - 59

Scandomestic takes reservations for misprints, type errors and product changes.
We refer to our website: www.scandomestic.dk
for latest updated specifications.

Table Tops



A++ SKS 150 A++



A+ SFS 108 A+



A++ SFS 110 A++



A+ SKS 128 A+



A++ SKB 160 A++

Specifications	SKS 128 A+	SKS 150 A++	SKB 160 A++	SFS 108 A+	SFS 110 A++
White	Yes	Yes	Yes	Yes	Yes
Net capacity cooling	111 ltr	124 ltr	97 ltr	-	-
Net capacity freezer 4*	-	-	11 ltr	66 ltr	80 ltr
Adjustable glass shelves	3	3	3	-	-
Wire shelves	-	-	-	-	-
Reversible door	Yes/right	Yes/right	Yes/right	Yes/right	Yes/right
Energy consumption per year	114 kw	92 kw	130 kw	164 kw	131 kw
Energy consumption per 24/h	0,31 kw	0,25 kw	0,36 kw	0,45 kw	0,35 kw
Numbers of drawers	-	-	-	2 + 1 flip	2 + 1 flip
Colour of drawers	-	-	-	Transparent blue	Transparent blue
Freezing capacity per 24/h	-	-	-	5 kg	5 kg
Energy class	A+	A++	A++	A+	A++
Dimensions HxWxD, mm.	845x495x516	850x550x570	850x550x570	845x495x516	850x550x570



A++ SKS 200 A++



A++ SKS 200 SS

Refrigerators

Specifications	SKS 200 A++	SKS 200 SS
Colour of cabinet	White	Stainless steel
Net capacity cooling	189 ltr	189 ltr
Adjustable glass shelves	5	5
Reversible door	Yes/right	Yes/right
Energy consumption per year	96 kw	96 kw
Energy consumption per 24/h	0,26 kw	0,26 kw
Energy class	A++	A++
Dimensions HxWxD, mm.	1250x550x570	1250x550x570





A++ SKB 210 A++



A+ SKS 57 A+



A+ SKB 182 A+



A+ SKS 192 A+

Refrigerators

Specifications	SKS 57 A+	SKS 192 A+	SKB 182 A+	SKB 210 A++
Cabinet colour	White	White	White	White
Net capacity cooling	44 ltr	168 ltr	150 ltr	163 ltr
Net capacity freezer 4*	-	-	17 ltr	20 ltr
Adjustable glass shelves	No	4	3	4
Wire shelves	Yes	-	-	-
Reversible door	Yes/right	Yes/right	Yes/right	Yes/right
Energy consumption per year	107 kw	120 kw	203 kw	157 kw
Energy consumption per 24/h	0,29 kw	0,32 kw	0,55 kw	0,43 kw
Energy class	A+	A+	A+	A++
Dimensions HxWxD, mm.	496x474x447	1025x540x580	1025x545x580	1250x545x566



 SKS 261 A++



 SKS 346 A+



Outside handle



Safety glass shelves



Smart lock for shelves

Specifications

	SKS 261 A++	SKS 346 A+
Cabinet colour	White	White
Net capacity cooling	241 ltr	308 ltr
Adjustable glass shelves	5	6
Reversible door	Yes/right	Yes/right
Drawers	1	2
Colour of drawers	Transparent blue	Transparent blue
Energy consumption per year	102 kw	135 kw
Energy consumption per 24/h	0,27 kw	0,36 kw
Energy class	A++	A+
Dimensions HxWxD, mm.	1440x550x570	1780x545x550



 SKS 365 A+



 SKS 365 SS

Specifications	SKS 365 A+	SKS 365 SS
Cabinet colour	White	Stainless steel
Net capacity cooling	328 ltr	328 ltr
Adjustable glass shelves	7	7
Reversible door	Yes/right	Yes/right
Drawers	1	1
Colour of drawers	Transparent blue	Transparent blue
Energy consumption per year	135 kw	139 kw
Energy consumption per 24/h	0,37 kw	0,38 kw
Energy class	A+	A+
Dimensions HxWxD, mm.	1760x595x570	1760x595x570



Multibox in the door to store eggs or like



Smart lock for shelves



Refrigerators



A++ SKS 450 A++



A++ SKS 450 SS

Refrigerators



AirFlow system



Outside controlpanel in the door

Specifications	SKS 450 A++	SKS 450 SS
Cabinet colour	White	Stainless steel
Net capacity cooling	360	360
Adjustable glass shelves	5	5
Reversible door	Yes/right	Yes/right
Drawers	2	2
Colour of drawers	Transparent	Transparent
Energy consumption per year	131 kw	131 kw
Energy consumption per 24/h	0,359 kw	0,359 kw
Energy class	A++	A++
Dimensions HxWxD, mm.	1855x595x662	1855x595x662



BIC 330 A+



BIK 141 A+



BIK 221 A+



BIK 341 A+



Door on door mounting



LED light



Large vegetable drawer

Built-in Refrigerators/Combis Integrated

Specifications	BIK 141 A+	BIK 221 A+	BIK 341 A+	BIC 330 A+
Refrigerator	Yes	Yes	Yes	No
Combi model	No	No	No	Yes
White	Yes	Yes	Yes	Yes
Door mounting	Top hinged	Top hinged	Top hinged	Sliding rails
Net capacity cooling	142 ltr	206 ltr	316 ltr	190 ltr
Net capacity freezer 4°	-	-	-	78 ltr
Adjustable glass shelves	4	5	6	5
Reversible door	Yes/right	Yes/right	Yes/right	Yes/right
Freezing capacity	-	-	-	3,5 kg
Energy consumption per year	120 kw	128 kw	150 kw	281 kw
Energy consumption per 24/h	0,33 kw	0,35 kw	0,41 kw	0,75 kw
Energy class	A+	A+	A+	A+
Dimensions HxWxD, mm.	880x540x540	1220x540x540	1770x540x540	1770x540x540




 BIF 121 A+

Built-in Freezers Integrated



 BIF 171 A+



 BIF 291 A+

Specifications	BIF 121 A+	BIF 171 A+	BIF 291 A+
Freezer	Yes	Yes	Yes
White	Yes	Yes	Yes
Door mounting	Top hinged	Top hinged	Top hinged
Net capacity freezer 4*	92 ltr	143 ltr	226 ltr
Drawers	4	5	9
Colour of drawers	Transparent blue	Transparent blue	Transparent blue
Reversible door	Yes/right	Yes/right	Yes/left
Freezing capacity	4,5 kg	6,5 kg	10,5 kg
Energy consumption per year	190 kw	223 kw	270 kw
Energy consumption per 24/h	0,51 kw	0,61 kw	0,74 kw
Energy class	A+	A+	A+
Built-in dims. HxWxD, mm.	880x540x540	1220x540x540	1770x540x540



A+ SFS 57 A+



A++ SFS 170 A++



A+ SFS 270 A+



A++ SFS 206 A++



A+ SFS 208 A+

NO FROST

Upright Freezers

Wide selection provides many opportunities for optimal solutions

Specifications	SFS 57 A+	SFS 170 A++	SFS 206 A++	SFS 208 A+	SFS 270 A+
Electronic control	No	No	No	Yes	No
Net capacity freezer 4*	32 ltr	140 ltr	168 ltr	162 ltr	230 ltr
NO FROST	No	No	No	Yes	No
Reversible door	Yes/right	Yes/right	Yes/right	Yes/right	Yes/right
Numbers of drawers	-	4 + 1 flip	5 + 1 flip	4 + 1 flip	6 + 1 flip
Colour of drawers	-	Transparent blue	Transparent blue	Transparent blue	Transparent blue
Freezing capacity per 24/h	2 kg	10 kg	8 kg	8 kg	15 kg
Energy consumption per year	149 kw	163 kw	155 kw	245 kw	256 kw
Energy consumption per 24/h	0,40 kw	0,45 kw	0,42 kw	0,67 kw	0,70 kw
Energy class	A+	A++	A++	A+	A+
Dimensions HxWxD, mm.	514x463x530	1250x550x570	1440x540x570	1450x545x620	1750x595x600



NO FROST




SFS 350 A++



NO FROST



SFS 350 SS



Chrome trim
on drawers



Outside controlpanel in
the door

Specifications

	SFS 350 A++	SFS 350 SS
Electronic controller	Yes	Yes
Net capacity freezer 4*	260 ltr	260 ltr
NO FROST	Yes	Yes
Reversible door	Yes/right	Yes/right
Numbers of drawers	6	6
Colour of drawers	Transparent	Transparent
Freezing capacity per 24/h	20 kg	20 kg
Energy consumption per year	246 kw	246 kw
Energy consumption per 24/h	0,674 kw	0,674 kw
Energy class	A++	A++
Dimensions HxWxD, mm.	1855x595x662	1855x595x662



Large vegetable drawers



Ice Twister



Touch panel



 **SKF 470 A+**

Combis
French type



NO FROST



SKS 500 A+

Specifications	SKF 470 A+	SKF 500 A+
Cabinet colour	Stainless steel	White
Free standing model	Yes	Yes
Net capacity cooling	298 ltr	320 ltr
Net capacity freezer 4*	152 ltr	162 ltr
Adjustable glass shelves	4	4
Reversible door	No	No
Drawers	5	2
Colour of drawers	Transparent	Transparent
Freezing capacity per 24/h	8 kg	12 kg
Energy consumption per year	336 kw	395 kw
Energy consumption per 24/h	0,92 kw	1,08 kw
Outside controlpanel	Yes	Yes
Energy class	A+	A+
Dimensions HxWxD, mm.	1800x783x726	1750x920x680





Display



AirFlow system
NO FROST freezer

Combi

Specifications	SKF 395 A+
White	Yes
Free standing model	Yes
Net capacity cooling	247 ltr
Net capacity freezer 4*	85 ltr
Adjustable glass shelves	5
Reversible door	Yes/right
Drawers	3
Colour of drawers	Transparent
Freezing capacity per 24/h	9 kg
Energy consumption per year	328 kw
Energy consumption per 24/h	0,89 kw
Energy class	A+
Dimensions HxWxD, mm.	2065x595x625

NO FROST



SKF 395 A+



NO FROST  **SKF 329 A++**



NO FROST  **SKF 329 SS**



Elegant controlpanel in the door



Chrome trim



*AirFlow system
NO frost freezer*

Combis

Specifications	SKF 329 A++	SKF 329 SS
Cabinet colour	White	Stainless steel
Free standing model	Yes	LED
Net capacity cooling	221 ltr	221 ltr
Net capacity freezer 4*	80 ltr	80 ltr
Adjustable glass shelves	4	4
Reversible door	Yes/right	Yes/right
Drawers	3	3
Colour of drawers	Transparent	Transparent
Freezing capacity per 24/h	5 kg	5 kg
Energy consumption per year	228 kw	228 kw
Energy consumption per 24/h	0,62 kw	0,62 kw
Air flow system	Yes	Yes
Outside controlpanel	Yes	Yes
Energy class	A++	A++
Dimensions HxWxD, mm.	1855x595x640	1855x595x640



A++ SKF 326 A++



A++ SKF 326 SS

Specifications	SKF 326 A++	SKF 326 SS
Cabinet colour	White	Stainless steel
Free standing model	Yes	Yes
Net capacity cooling	210 ltr	210 ltr
Net capacity freezer 4*	91 ltr	91 ltr
Adjustable glass shelves	4	4
Reversible door	Yes/right	Yes/right
Drawers	3	3
Colour of drawers	Transparent blue	Transparent blue
Freezing capacity per 24/h	5 kg	5 kg
Energy consumption per year	211 kw	211 kw
Energy consumption per 24/h	0,57 kw	0,57 kw
Energy class	A++	A++
Dimensions HxWxD, mm.	1850x595x600	1850x595x600

Combis



Combis



A++ SKF 230 A++



A++ SKF 296 A++



A++ SKF 306 A++

Specifications	SKF 220 A++	SKF 230 A++	SKF 296 A++	SKF 306 A++
White	Yes	Yes	Yes	Yes
Free standing model	Yes	Yes	Yes	Yes
Net capacity cooling	161 ltr	143 ltr	166 ltr	188 ltr
Net capacity freezer 4*	44 ltr	51 ltr	64 ltr	64 ltr
Adjustable glass shelves	4	3	3	4
Reversible door	Yes/right	Yes/right	Yes/right	Yes/right
Drawers	-	3	3	3
Colour of drawers	-	Transparent blue	Transparent blue	Transparent blue
Freezing capacity per 24/h	2 kg	2,5 kg	3 kg	3 kg
Energy consumption per year	171 kw	170 kw	175 kw	189 kw
Energy consumption per 24/h	0,47 kw	0,47 kw	0,48 kw	0,52 kw
Energy class	A++	A++	A++	A++
Dimensions HxWxD, mm.	1440x550x570	1500x545x545	1672x545x547	1810x550x547



A++ SKF 220 A++



 SB 60 A+



 SB 106 A+



 SB 175 A++



 SB 201 A+

Chest Freezers

Specifications	SB 60 A+	SB 106 A+	SB 175 A++	SB 201 A+
Net capacity freezer 4*	51 ltr	98 ltr	154 ltr	197 ltr
Baskets	1	1	2	2
Lock	No	No	Yes	Yes
Internal light	No	No	Yes	Yes
Freezing capacity per 24 hour	3 kg	5 kg	10 kg	10 kg
Compressor	1	1	1	1
Energy consumption per year	144 kw	167 kw	164 kw	220 kw
Energy consumption per 24/h	0,39 kw	0,46 kw	0,42 kw	0,60 kw
Energy class	A+	A+	A++	A+
Dimensions HxWxD, mm.	850x355x630	840x545x590	850x895x580	840x895x590



 SB 451 A+

Large internal light



Solid hinge



Control panel in front



Built-in lock in handle



 SB 351 A+



 SB 551 A+



 SB 300 A++



 SB 650 A+

Specifications	SB 300 A++	SB 351 A+	SB 451 A+	SB 551 A+	SB 650 A+
Net capacity freezer 4*	305 ltr	283 ltr	368 ltr	458 ltr	560 ltr
Baskets	3	3	3	4	4
Lock	Yes	Yes	Yes	Yes	Yes
Internal light	Yes	Yes	Yes	Yes	Yes
Freezing capacity per 24 hour	16 kg	13 kg	17 kg	20 kg	26 kg
Compressor	1	1	1	1	1
Energy consumption per year	216 kw	264 kw	321 kw	354 kw	406 kw
Energy consumption per 24/h	0,59 kw	0,72 kw	0,84 kw	0,97 kw	1,11 kw
Energy class	A++	A+	A+	A+	A+
Dimensions HxWxD, mm.	840x1270x750	840x1030x750	840x1270x750	840x1530x750	840x1800x750



RKB 300



RKC 300



RKF 200



RKB 200



Chrome finish



Wine shelves



Easy temperature adjustment



>>Retro style<<

Specifications	RKF 200	RKB 200	RKC 300	RKB 300
Refrigerator	Yes	Yes	Yes	Yes
Net capacity cooling	168 ltr	168 ltr	209 ltr	209 ltr
Net capacity freezer 4°	40 ltr	40 ltr	91 ltr	91 ltr
Colour of cabinet	Ferrari red	Matt black	Creme	Matt black
Adjustable glass shelves	4	4	4 + 1 bottlerack	4 + 1 bottlerack
Reversible door	No	No	No	No
Drawers	1	1	1	1
Colour of drawers	Transparent grey	Transparent grey	Transparent grey	Transparent grey
Freezing capacity per 24/h	2 kg	2 kg	4,5 kg	4,5 kg
Energy consumption per year	215 kw	215 kw	292 kw	292 kw
Energy consumption per 24/h	0,59 kw	0,59 kw	0,80 kw	0,80 kw
Energy class	A+	A+	A+	A+
Dimensions HxWxD, mm.	1497x545x638	1497x545x638	1899x595x645	1899x595x645



MIR 20 F



MIR 20 B



MIO 23 W



Specifications	MIR 20 F	MIR 20 B
Outside	Red	Black
Type	Microwave oven	Microwave oven
Oven size	20 ltr	20 ltr
Effect	700 watt	700 watt
Display	Yes	Yes
Electronic programming	Yes	Yes
Thawing	Yes	Yes
Child safety	Yes	Yes
Connection	220-240 V	220-240 V
Hertz	50/60	50/60
Dimensions HxWxD, mm.	255x445x320	255x445x320

>>Retro style<< Microwave Ovens

Specifications	MIO 23 W
Outside	White
Type	Miniovn
Oven size	23 ltr
Effect	1500 watt
Temperature range	100 to 230°C
Convection type	Yes
Crumb tray	Yes
Timer	Yes
Child safety	Yes
Automatic shutoff	Yes
2-layers glass	Yes
Connection	220-240 V
Hertz	50/60
Dimension HxWxD, mm.	328x485x380

>>Retro style<< Mini Ovens



A+ SFO 4900



A+ SFO 4201



A+ SFO 4101

Dishwashers

- White, stainless steel or for integration...

Specifications	SFO 4101	SFO 4201	SFO 4900
Type	Built-in model	Built-in model	Built-in model
Energy class	A++	A++	A++
Washing performance	A	A	A
Drying class	A	A	A
Settings	14	14	14
Numbers of baskets	3	3	3
Annual energy cons.	266 kw	266 kw	266 kw
Annual water cons.	3080 ltr	3080 ltr	2800 ltr
Noise level dB(A)	47 dB(A)	47 dB(A)	47 dB(A)
Programmes	6	6	8
Electronic	Yes	Yes	Yes
LED	Yes	Yes	Yes, Display
Time delay, hours	3/6/9/12 hours	3/6/9/12 hours	24 hours
Aquastop	Yes	Yes	Yes
Voltage/connection	220-240 V	220-240 V	220-240 V
Hertz	50	50	50
Dimensions HxWxD, mm	815-865x598x580	815-865x598x580	815-865x598x580



Large separate cutlery basket

Table Dishwasher



 SFO 2201



 SFO 4501



 SFO 3501



 SFO 3801



Adjustment of rows



SFO 3801 control panel

Specifications	SFO 2201	SFO 3501	SFO 3801	SFO 4501
Type	Table model	Free standing	Fully integrated	Free standing
Energy class	A+	A++	A++	A++
Washing performance	A	A	A	A
Drying class	A	A	A	A
Settings	6	12	12	8
Numbers of baskets	1	2	2	2
Annual energy cons.	174 kw	258 kw	258 kw	197 kw
Annual water cons.	1820 ltr	3080 ltr	3080 ltr	2520 ltr
Noise level dB(A)	49 dB(A)	47 dB(A)	47 dB(A)	49 dB(A)
Programmes	6	6	6	4
Electronic	Yes	Yes	Yes	Yes
LED	Yes	Yes	Yes	Yes
Time delay, hours	No	3/6/9/12 hours	3/6/9 hours	No
Aquastop	No	Yes	Yes	Yes
Voltage/connection	220-240 V	220-240 V	220-240 V	220-240 V
Hertz	50	50	50	50
Dimensions HxWxD, mm	438x550x500	845x598x610	820/880x598x550	845x448x600

Washing Machines / Dryers

- Serie "München"



STL 612



WAH 140



WAH 1500



TRK 1019



TRK 3019

Specifications	WAH 140	WAH 1500	STL 612
Front loaded	Yes	Yes	No
Capacitet	6,0 kg	6,0 kg	6,0 kg
Digital controller	Yes	Yes	Yes
Display	LED	LED	Yes
Spin speed, rpm	600-1400	800 - 1200	1200
Energy cons. per year	172 kw	196 kw	196 kw
Water cons. per year	9900 ltr	9900 ltr	8900 ltr
Energy class	A++	A+	A+
Wash performance	A	A	A
Spin performance	B	C	B
Sound level wash	62 dB(A)	62 dB(A)	61 dB(A)
Sound level spinning	78 dB(A)	77 dB(A)	78 dB(A)
Dimensions HxWxD, mm.	855x595x495	855x595x495	880x395x615

Specifications	TRK 1019	TRK 3019
Front loaded	Yes	Yes
Drying	Condense	Cond. Heatpump
Capacity	8,0 kg	8,0 kg
Drum lid diameter	35 cm	35 cm
Drum	Stainless steel	Stainless steel
Electronic controller	Yes	Yes
Display	Yes	Yes
Delay timer, hours	Yes	Yes
Programmes	11	12
Power cons. per drying	1,53 kw	0,64 kw
Energy class	B	A++
Dimensions HxWxD, mm.	855x595x565	855x595x565

Microwave ovens & Combi Oven



MIG 3601



MIG 20



MIG 2301



MIG 26 SS



MIG 2501

Specifications	MIG 20	MIG 26 SS	MIG 2301	MIG 2501	MIG 3601
Outside	White	Stainless steel	White	White	White
Inside	White	White	White	Stainless steel	Stainless steel
Oven capacity	20 ltr	23 ltr	23 ltr	25 ltr	36 ltr
Power, watt	700 w	800 w	800 w	900 w	900 w
Electronic	No	Yes	Yes	Yes	Yes
Hot air	-	-	-	Yes	Yes
Grill	No	Yes	Yes	Yes	Yes
Timer	Yes	Yes	Yes	Yes	Yes
Child safety	Yes	Yes	Yes	Yes	Yes
Voltage/connection	230 V	230 V	230 V	230 V	230 V
Hertz	50	50	50	50	50
Dimensions HxWxD, mm.	300x440x341	288x486x410	285x485x410	310x512x515	405x500x575



A XO 5100



A XO 5101

Built-in Ovens



A XO 6100

Specifications	XO 5100	XO 5101	XO 6100
Outside finish	Stainless steel	White	Stainless steel
Energy class	A	A	A
Enamel colour	Black	Black	Black
Oven functions	6	6	8
Oven capacity	59 ltr	59 ltr	59 ltr
Fan heating element	No	No	Yes, real
Fan	Yes	Yes	Yes
Timer	Yes/analog	Yes/analog	Yes/digital
Oven accessories	1 x Baking tray 1 x 32 mm tray 1 x wire shelf	1 x Baking tray 1 x 32 mm tray 1 x wire shelf	2 x Baking tray 1 x 32 mm tray 1 x wire shelf
Detachable door	Yes	Yes	Yes
Full glass inner door	Yes	Yes	Yes
Function light	Yes	Yes	Yes
Built-in dimensions, HxWxD, mm	593x564x550	593x564x550	593x564x550
Dimensions HxWxD, mm.	595x595x505	595x595x505	595x595x505




SK 403-1



SK 803-1

Cookers

- Energy class A
- Sideracks
- Full internal glass in door



Full covering glass



Strong sideracks

Specifications	SK 403-1	SK 803-1
Energy class	A	A
Freestanding cooker	60 cm	60 cm
Ceramic model	-	Yes
Induction	-	-
Hotplate	Yes	-
Control	Buttons	Buttons
Oven capacity	60 ltr	60 ltr
Oven functions	6	6
Circular heating element	Yes	Yes
Accessories	1 x baking tray 1 x 32 mm tray 1 x wire shelf	1 x baking tray 1 x 32 mm tray 1 x wire shelf
Internal light	15 w	15 w
Cooking zone, front left	14,5 cm	14,5 cm
Cooking zone, rear left	18 cm	18 cm
Cooking zone, front right	18 cm	18 cm
Cooking zone, rear right	14,5 cm	14,5 cm
Voltage/connection	230/400 V	230/400 V
Hertz	50	50
Dimensions HxWxD, mm.	880/900x600x600	880/900x600x600

Top Chef-stand mixer


Specifications	Top Chef
Capacitet	5,5 ltr
Bowl	Stainless steel
Cabinet	Metal
Motor, watt	1000 w
Speed regulator	Stepless
Display	Yes
Blender	Yes/glass
Accessories	3 parts



IKF 361 Flex - 60 cm



IKF 480 Flex - 80 cm




IKF 490 Flex - 90 cm

Specifications	IKF 361 Flex	IKF 480 Flex	IKF 490 Flex
Facette design, 4 sides	Yes	Yes	Yes
Induction - zones	2 flex	2 flex	3 flex
High light zones	No	No	No
Slider control	Yes	Yes	Yes
Touch control	Yes	Yes	Yes
Child safety	Yes	Yes	Yes
Timer	Yes	Yes	Yes
Booster	Yes	Yes	Yes
Boiling step preselection	Yes	Yes	Yes
Cooking zone, left side	40,5x20,0 cm	40,5x20,0 cm	40,5x20,0 cm
Cooking zone, right side	40,5x20,0 cm	40,5x20,0 cm	40,5x20,0 cm
Cooking zone, center	-	-	40,5x20,0 cm
Built-in dims BxWxH, mm.	560x490	750x490	875x495
Voltage/connection	240 V	240 V	240 V
Hertz	50	50	50
Total effect, Watt	7200 w	7200 w	10800 w

Ceramic- / Induction Hobs



K 51 - 30 cm



K 61 - 60 cm



IKF 160 - 60 cm



K 81 - 80 cm



IKF 260 - 60 cm



IKF 270 - 70 cm



IKF 280 - 80 cm

Specifications	K51	K 61	K81	IKF 160	IKF 260	IKF 270	IKF 280
Facette design, 4 sides	No	No	No	Yes	Yes	Yes	Yes
Induction - zones	No	No	No	4	4	4	4
High light zones	Yes	Yes	Yes	No	No	No	No
Slider control	No	No	No	No	Yes	Yes	Yes
Touch control	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Child safety	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Timer	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Booster	No	No	No	No	Yes	Yes	Yes
Boiling step preselection	No	No	No	No	Yes	Yes	Yes
Cooking zone/front left	16,5 cm	20,0 cm	20,0 cm	18,0 cm	20,0 cm	20,0 cm	20,0 cm
Cooking zone/rear left	20,0 cm	16,5 cm	16,5 cm	18,0 cm	20,0 cm	20,0 cm	20,0 cm
Cooking zone/front right	-	16,5 cm	16,5 cm	18,0 cm	20,0 cm	20,0 cm	20,0 cm
Cooking zone/rear right	-	20,0 cm	-	18,0 cm	20,0 cm	20,0 cm	20,0 cm
Cooking zone/ center	-	-	15/22,5/29,5	-	-	-	-
Built-in dims. BxW, mm.	268x500	560x490	750x490	560x490	560x490	560x490	750x490
Voltage/connetion	220-240 V	230 V	240 v	240 V	240 V	240 V	240 V
Hertz	50	50	50	50	50	50	50
Total effect, Watt	3200 w	6000 w	6900 w	7200 w	7200 w	7200 w	7200 w

Hoods

EMF 990



EMV 905



EMV 605



Specifications	EMV 605	EMV 905	EMV 610	EMV 910	EMF 990
Energy class	D	D	D	D	D
Hood width, cm	60 cm	90 cm	60 cm	90 cm	90 cm
Pull out model	No	No	No	No	No
Wall mounting	Yes	Yes	Yes	Yes	No
Island model	No	No	No	No	Yes
Model	Steel/black/glass	Steel/black/glass	Steel/white/glass	Steel/white/glass	Steel/glass
Light, watt	2 x 0,5 w LED	2 x 0,5 w LED	2 x 3 w LED	2 x 3 w LED	3 x 1 w LED
Built-in motor	Yes	Yes	Yes	Yes	Yes
Metal filter	Yes	Yes	Yes	Yes	Yes
Suction capacity, m3/hr	700 m3	700 m3	700 m3	700 m3	700 m3
Speed	3	3	3	3	3
Timer	Yes	Yes	Yes	Yes	No
Control panel	Touch	Touch	Push buttons	Push buttons	Push buttons
Noise level	69 dB(A)	69 dB(A)	69 dB(A)	69 dB(A)	73 dB (A)
Carbon filter	Spare part	Spare part	Spare part	Spare part	Spare part
Voltage/connection	220-240 V	220-240 V	220-240 V	220-240 V	220-240 V
Hertz	50	50	50	50	50
Dimensions HxWxD, mm	500-980x600x500	500-980x900x500	695-950x600x500	695-950x900x500	1050-1250x900x600



EMV 910




EMV 610



EMV 104

Extraction for the home...

Wall mounting or island type



EMV 102



EMV 602



EMV 902



EMF 902

Specifications	EMV 102	EMV 104	EMV 602	EMV 902	EMF 902
Energy class	F	E	D	D	D
Hood width, cm	-	60 cm	60 cm	90 cm	90 cm
Pull out model	60 cm	No	-	-	-
Wall mounting	Yes	Yes	Yes	Yes	No
Island model	No	No	No	No	Yes
Model	White/Steel	White	Steel/Glass	Steel/Glass	Steel/Glass
Light, watt	2 x 40 w	Halogen 2 x 28 w	Halogen 2 x 20 w	Halogen 2 x 20 w	Halogen 4 x 20 w
Built-in motor	Yes/2	Ja	Yes	Yes	Yes
Metal filter	Yes	Ja	Yes	Yes	Yes
Suction capacity, m3/hr	440 m3	250 m3	750 m3	750 m3	750 m3
Speed	2	3	3	3	3
Timer	No	No	No	No	No
Control panel	Slider	Push buttons	Push buttons	Push buttons	Push buttons
Noise level	65 dB (A)	65 dB(A)	65 dB (A)	65 dB (A)	65 dB (A)
Carbon filter	Spare part	Spare part	Spare part	Spare part	Spare part
Voltage/connection	220-240 V	220-240 V	220-240 V	220-240 V	220-240 V
Hertz	50	50	50	50	50
Dimensions HxWxD, mm	175x600x305	150x600x500	610/970x600x500	610/970x900x500	600/1100x900x600



Controlpanel for each zone



Good solid lock



Pull-out wooden shelves
with stainless steel



Internal LED lights



SV 80

Wine Coolers

- single, 2-zones or 3-zones



SV 90



SV 102



SV 122



SV 133

Specifications	SV 80	SV 90	SV 102	SV 122	SV 133
Temperature range	5 to 18°C	5 to 18°C, each zone	-	-	-
Temperature range, top	-	-	5 to 10°C	5 to 10°C	5 to 18°C
Temperature range, middle	-	-	-	-	5 to 12°C
Temperature range, bottom	-	-	10 to 18°C	10 to 18°C	12 to 18°C
Cabinet	Black	Black	Black	Black	Black
Handle and door	Stainless steel	Stainless steel	Stainless steel	Stainless steel	Stainless steel
Lock	No	No	Yes	Yes	Yes
Volume	146 ltr	2 x 60 ltr	312 ltr	416 ltr	404 ltr
Numbers of 70 cl. bottles	52	19+19	55+55	77+77	44+44+44
Stain. steel door/coloured gl.	Yes/smoked glass	Yes/smoked glass	Yes/smoked glass	Yes/smoked glass	Yes/smoked glass
Shelves - wood standard	5,5 pull-out	5+5 pull-out	9,5 pull-out	14,5 pull-out	5+5+3,5 pull-out
Zones	1 zone	2 zones	2 zones	2 zones	3 zones
Internal light	Yes, LED	Yes, LED	Yes, LED	Yes, LED	Yes, LED
Electronic display	Yes, LED	Yes, LED	Yes, LED	Yes, LED	Yes, LED
Dimensions HxWxD, mm.	865x595x572	865x595x573	1390x595x677	1762x595x677	1762x595x677

*Coca-Cola for
everybody!!*



Integrated handle



*Elegant black inside with
chrome shelves*



HighCube



CoolCube

Specifications	HighCube	CoolCube
Volume	115 ltr	50 ltr
Temperature range	4 to 12°C	4 to 12°C
Shelves	4	1
Lock	Yes	No
Internal light	Yes	-
Energy consump. per 24h	0,3 kw	0,23 kw
Energy consump. per year	110 kw	84 kw
Weight	33 kg	18 kg
Energy class	A+	A+
Dimensions HxWxD, mm.	840x540x565	510x430x475
Coca Cola Branding	Yes	Yes



TK 41



TK 85



TK 65

Specifications	TK 41	TK 65	TK 85
Volume	40 ltr	65 ltr	85 ltr
Temperature range	2 to 10°C	2 to 10°C	2 to 10°C
Cooling system	Static	Static	Static
Castors	4	4	4
Gross/net weight	19/17 kg	21/19 kg	27/25 kg
Diameter, mm.	445	445	565
Height, mm	735	960	836

Can Coolers

Can Coolers are supplied as standard in white



MB 45

Mini Bars

- No compressor
- No vibrations
- No CFC gasses
- No noise
- 0 dB(A)



MB 35



MB 45



Split shelves with self lock



Moveable shelves give room for bottles

Specifications	MB 35	MB 45
Volume	35 ltr	40 ltr
ECO temperature	8°C	8°C
Sound level	0 dB(A)	0 dB(A)
Climate Type	N/SN	N/SN
Gross/net weight	11,5/10,2 kg	13/11,8 kg
Internal light	LED	LED
Dimensions HxWxD, mm	485x385x455	560x400x425



SC 209 SL



SC 209 HD



SC 139 H



SC 309 SL

Specifications	SC 139 H	SC 209 HD	SC 209 SL	SC 309 SL
Gross/net volume	124/113 ltr	205/185 ltr	207/165 ltr	335/268 ltr
Temperature range	2 to 10°C	2 to 10°C	2 to 10°C	2 to 10°C
Numbers of shelves	2	4	4	6
Lock	Yes	Yes	Yes	Yes
Internal light	LED	LED	LED	LED
Adjustable feet	4	4	4	4
Sliding doors	No	No	Yes	Yes
Hinged doors	Yes	Yes	No	No
Energy consump. per 24h	1,3 kw	1,8 kw	1,8 kw	2,3 kw
Weight	43 kg	57 kg	57 kg	78 kg
Ventilated cooling	Yes	Yes	Yes	Yes
Electronic controller	Yes	Yes	Yes	Yes
Cabinet color	Black	Black	Black	Black
Dimensions HxWxD, mm.	865x555x520	865x865x520	865x865x520	865x1350x520

Back Bars

- 87 cm high

- 3 layers of 50 cl.
PET bottles

- LED internal light



SD 216



SD 419



SD 429

"Full door" Display Coolers



SD 880 H

Specifikationer	SD 216	SD 419	SD 429	SD 880 H
Volume	160 ltr	388 ltr	394 ltr	590 ltr
Temperature range	4 to 10°C	4 to 10°C	4 to 10°C	4 to 10°C
Full door	Yes	Yes	Yes	Yes
Shelves	5	5	5	10
Lock	Yes	Yes	Yes	Yes
Internal light	1 vert. LED	1 vert. LED	1 vert. LED	2 vert. LED
Energy consump. 24h	2,4 kw	3,2 kw	3,2 kw	8,5 kw
Gross/net weight	63/60 kg	75/70 kg	74/69 kg	127/112 kg
Dimensions HxWxD, mm.	1880x390x475	1980x578x605	1990x578x605	1981x870x605



SD 416



SD 801 H



SD 1001 SL



Individual adjustable shelves

Display Coolers



SD 1501 H

Specifications	SD 416	SD 801 H	SD 801 SL	SD 1001 H	SD 1001 SL	SD 1501 H
Gross volume	338 ltr	800 ltr	800 ltr	1000 ltr	1000 ltr	1500 ltr
Temperature range	4 to 10°C	4 to 10°C	4 to 10°C	4 to 10°C	4 to 10°C	4 to 10°C
Sliding doors	No	No	Yes	No	Yes	No
Hinged doors	Yes	Yes	No	Yes	No	Yes
Shelves	5	8	8	8	8	15
Lock	Yes	Yes	Yes	Yes	Yes	Yes
Internal light	1 vert. LED	2 vert. LED	2 vert. LED	2 vert. LED	2 vert. LED	2 vert. LED
Energy consump. 24h	2,2 kw	7,5 kw	7,5 kw	8,2 kw	8,2 kw	7,5 kw
Gross/net weight	74/70 kg	149/132 kg	149/135 kg	163/136 kg	167/136 kg	222/200 kg
Dimensions HxWxD, mm.	1975x575x606	2020x1000x720	2020x1000x700	2020x1130x720	2020x1130x700	2063x1710x720



KK 421



Fan ventilator and internal LED light



Alu frame with round design



Strong wire shelves



KK 381



KK 300

Specifications	KK 300	KK 381	KK 421
Volume	210 ltr	289 ltr	339 ltr
Temperature range	4 to 12°C	0 to 10°C	0 to 10°C
Shelves	4 +1	4	4
Lock	No	Yes	Yes
Internal light	Vertical LED	Vertical LED	Vertical LED
Energy consump. per 24h	3,2 kw	2,3 kw	2,4 kw
Gross / net weight	85/77 kg	72/65 kg	80/70 kg
Dimensions HxWxD, mm.	1850x440x718	1790x615x590	1985x615x590

Display Coolers

Display Coolers

- Table Tops



DKS 62



DKS 122



DKS 142



SC 20



SC 51



SC 81

Specifications	DKS 62	DKS 122	DKS 142	SC 20	SC 51	SC 81
Volume, ltr	46 ltr	105 ltr	115 ltr	22 ltr	50 ltr	80 ltr
Temperature range	2 to 10°C	2 to 10°C	0 to 10°C	4 to 10°C	4 to 10°C	4 to 10°C
Shelves	1	3	4	1	2	2
Lock	No	No	Yes	No	No	No
Internal light	Yes, LED	Yes, LED	Yes, LED	Yes, LED	Yes, LED	Yes, LED
Energy consump. per 24h	0,5 kw	0,56 kw	0,3 kw	0,55 kw	0,72 kw	0,9 kw
Weight	21 kg	33 kg	25 kg	15 kg	25 kg	29 kg
Dimensions HxWxD, mm.	525x500x465	840x480x520	845x540x550	585x330x360	805x420x460	950x460x460

Display Coolers



RTC 236



RTC 286



RT 79



Electronic control panel in front



Adjustable shelves



Internal light

Specifications	RT 79	RTC 236	RTC 286
Volume	78 ltr	235 ltr	285 ltr
Temperature range	0 to 12°C	0 to 12°C	0 to 12°C
Shelves	3	4	5
Lock	Yes	-	-
Internal light	Vertical LED	Vertical LED	Vertical LED
Digital controller	-	Yes	Yes
Energy consump. per 24h	2 kw	5,5 kw	6 kw
Weight	36 kg	76 kg	88 kg
Dimensions HxWxD, mm.	960x428x386	1690x515x485	1895x515x485

Impulse Coolers



IM 110



Built-in handle



Removeable lid



Easy Temperature adjustment



WM 90

Specifications	WM 90	IM 110
Volume	92/80 ltr	110/86 ltr
Temperature range	2 to 8°C	2 to 8°C
Cooling system	Forced Air	Forced Air
Lockable castors	-	4
Adjustable feet	4	-
Internal light	LED	LED
Refrigerant	R600A	R600A
Electronic controller	Yes	Yes
Digital thermometer	Yes	Yes
Weight	43 kg	45 kg
Energy consump. per 24h	2,0 kw	2,5 kw
33 cl cans	110	112
50 cl PET bottles	ca. 60	ca. 85
Dimensions HxWxD, mm.	1000x690x450	950x750x555

The products shown are supplied as standard in white



OFC 230



OFC 190



OFC 380



Shelf price labels



Night curtain

Specifications	OFC 190	OFC 230	OFC 380
Volume	-	230 ltr	380 ltr
Temperature range	2 to 10°C	2 to 10°C	2 to 10°C
Shelves	2 adjustable	3 adjustable	3 adjustable
Night curtain	Yes	Yes	Yes
Internal light	LED	LED	LED
Castors w/lock	No	Yes	Yes
Digital controller	Yes	Yes	Yes
Thermometer	Yes	Yes	Yes
Dimensions HxBxD, mm.	1473x780x700	1520x600x890	1520x1000x890



OFC 220



Shelf price labels



LED light under the shelves



Night curtain




Digital display in front



OFC 200

Open front coolers

Specifications	OFC 220	OFC 200
Volume	220 ltr	200 ltr
Temperature range	2 to 10°C	2 to 12°C
Shelves	3	2 adjustable
Night curtain	Yes	Yes
Internal light	LED	LED
Castors w/Lock	Yes	Yes
Digital controller	Yes	Yes
Thermometer	Yes	Yes
Dimensions HxWxD, mm.	1742x498x600	1250x1000x560



Easy temperature adjustment



Strong moveable shelves

RTW 160



Refilling / serving from the back



Internal LED light



RTW 100

Showcases

- Perfect as a table top or impulse sales cooler where space is limited

Specifications	RTW 100	RTW 160
Volume	100 ltr	160 ltr
Temperature range	4 to 12°C	4 to 12°C
Numbers of shelves	2	2
Lock	No	No
Internal light	Yes	LED
Energy consump, per 24h	2,45 kw	2,77 kw
Weight	36 kg	71 kg
Dimensions HxWxD, mm.	675x682x450	686x890x568



SVS 145



SVS 100

Heat Cabinets

- Rotating wire shelves
- Large visual glass area

Specifications	SVS 100	SVS 145
Volume	97 ltr	137 ltr
Temperature range	30 to 90°C	30 to 90°C
Numbers of shelves	4	3
Lock	No	No
Internal light	Yes	Yes
Energy consump. 24h	-	-
Weight	22 kg	27 kg
Dimensions HxWxD, mm.	785x448x460	785x645x487



SD 306



Optional internal
LED light in
frame



Lock is
standard



1-piece frame

Display Freezers



SD 155



SD 361



SD 451

Specifications	SD 155	SD 306	SD 352	SD 361	SD 351	SD 451
Gross/net volume	151/105 ltr	280/220 ltr	352/280 ltr	361/251 ltr	281/238 ltr	365/310 ltr
Temperature range	-12 to -24°C	-12 to -24°C	-12 to -24°C	-12 to -24°C	-12 to -24°C	-12 to -24°C
Numbers of baskets	2	3	3	4	3	4
Lock & key	Yes	Yes	Yes	Yes	Yes	Yes
Castors	4	4	4	4	4	4
Light sign	Optional	Optional	Optional	Optional	No	No
Internal light	Optional	Optional	Optional	Optional	No	No
Energy consump. Kwh/24h	1,6 kw	2,4 kw	2,85 kw	2,2 kw	2,48 kw	3,01 kw
Gross/net weight	55/48 kg	68/60 kg	79/68 kg	79/69 kg	65/56 kg	74/63 kg
Dimensions HxWxD, mm.	850x584x694	850x1000x649	850x1224x649	850x1204x649	830x1030x675	830x1270x675



XS 701



XS 801

*Dual function
cooling and freezing*



Aluminium
bumper bar
on front



Panel with
control lamps,
thermometer
and thermostat

Specifications	XS 601	XS 701	XS 801
Volume	595/500 ltr	701/515 ltr	795/700 ltr
Temperature range	10 to -24°C	-18 to -24°C	10 to -24°C
Dual function	Yes	No	Yes
Baskets	5	6	7
Lock & key	Yes	No	Yes
Castors	8	6	8
Internal light	LED	LED	LED
External thermometer	Yes	Yes	Yes
Energy consump. per 24h	5,5 kw	6,0 kw	6,2 kw
Gross/nett weight	95/80 kg	125/105 kg	140/120 kg
Dimensions HxWxD, mm.	858x1480x757	810x1865x815	858x2000x757



Strong built-in handle



Solid shelf carriers



Price label rail on shelves

KF 990

Display Freezers

Specifications	KF 990
Gross/nett volume	/880 ltr
Temperature range	-18 to -23°C
Shelves	10
Lock	Yes
Internal light	Vertical LED
Energy consump. per 24h	14,25 kw
Light sign	5201 kw
Gross/nett weight	170/150 kg
Dimensions HxWxD, mm.	1998x1200x690



KF 870



SD 46



SD 76



SD 92

- Forced air
- Moveable shelves
- LED lights

Specifications	SD 46	SD 76	SD 92	KF 870
Gross/nett volume	45/42 ltr	92/88 ltr	92/88 ltr	488/370 ltr
Temperature range	-9 to -24°C	-9 to -24°C	-9 to -24°C	-12 to -24°C
Shelves	2	3	3	6
Lock	No	No	No	Yes
Internal light	Yes	Yes	Yes	2 Vertical LED
Energy consump. per 24h	2,35 kw	2,8 kw	2,95 kw	9,8 kw
Light sign	No	No	Yes	Yes
Weight	30 kg	55 kg	65 kg	116 kg
Dimensions HxWxD, mm.	500x570x500	688x595x516	855x595x540	2110x660x663



SB 351 SS

Storage Freezers

- Stainless steel lid



Large internal light



Solid hinges



SB 451 SS



SB 551 SS

Specifications	SB 351 SS	SB 451 SS	SB 551 SS
Volume	283 ltr	368 ltr	459 ltr
Temperature range	-12 to -24°C	-12 to -24°C	-12 to -24°C
Basket	3	3	4
Lock	Yes	Yes	Yes
Internal light	Yes	Yes	Yes
Energy consump. per 24h	0,72 kw	0,84 kw	0,96 kw
Weight	54 kg	61 kg	74 kg
Dimensions HxWxD, mm.	840x1030x750	840x1270x750	840x1530x750



Electronic temperature control



Lock is standard



Ventilated cooling



SK 145 GD

Storage cabinets

- Stainless steel



SK 145



SF 115

Specifications	SK 145	SK 145 GD	SF 115
Type	Cooler	Cooler	Freezer
Volume	145 ltr	145 ltr	115 ltr
Temperature range	0 to 10°C	0 to 10°C	-16 to -24°C
Shelves/baskets	3	3	3 baskets
Energy cons. pr/24h	1,1 kw	1,1 kw	0,76/kw
Lock	Yes	Yes	Yes
LED display	Yes	Yes	Yes
Weight	38 kg	38 kg	39 kg
Internal light	No	LED	No
Digital controller	Yes	Yes	Yes
Dimensions HxWxD, mm.	820x595x595	820x595x595	820x595x595






KK 366



KK 151



KK 261



Strong wire shelves



Temperature adjustment and light

Service Cabinets

Specifications	KK 151	KK 261	KK 366
Volume	116 ltr	242 ltr	316 ltr
Temperature range	0 to 10°C	0 to 10°C	0 to 10°C
Shelves	3	6	5
Internal light	No	Yes	Yes
Reversible door	Yes	Yes	Yes
Energy consump. per 24h	0,31 kw	0,34 kw	0,37 kw
Dimensions HxWxD, mm.	845x495x545	1440x540x570	1780x545x585



KK 601



Control panel on front



Shelves system for both GN 2/1 and trays 600x400 mm.

Service Cabinets

Specifications	KK 601	KF611
Type	Cooler	Freezer
Gross/net volume	540/520 ltr	540/520 ltr
Temperature range	1 to 8°C	-18 to -22°C
Shelves	4 - GN 2/1	8
Evaporator shelves	0	6
Lock	Yes	Yes
Reversible door	Yes	Yes
Ventilated cooling	Yes	-
Static freeze	-	Yes
Digital controller	Yes	Yes
Dimensions HxWxD, mm.	1897x750x812	1897x750x812



KF 611



KK 710



Electronic temp. control



Integrated handle



Cleanable round corners,
stainless steel inside



KK 1410

Gastronorm - Stainless Steel

- Adjustable feet
- Replaceable rubber gasket
- Easy cleaning

Specifications	KK 710	KF 810	KK 1410
Volume	650 ltr	650 ltr	1400 ltr
Temperature range	2 to 8°C	-18 to -22°C	2 to 8°C
Shelves	3	3	6
Lock	No	No	No
Reversible door	Yes	Yes	Yes
Doors - self closing	Yes	Yes	Yes
Weight	100 kg	121 kg	136 kg
Dimensions HxWxD, mm.	2010x660x780	2010x740x830	2010x1320x780

Gastronorm - Stainless Steel



BK 122



BF 133

Specifications	BK 122	BK 123	BF 132	BF 133
Volume	350 ltr	500 ltr	350 ltr	500 ltr
Temperature range	2 to 10°C	2 to 10°C	-18 to -22°C	-18 to -22°C
Doors - self closing	2	3	2	3
Drawers	Optional	Optional	Optional	Optional
Shelves	2	3	2	3
Lock	No	No	No	No
Adjustable legs	incl.	incl.	incl.	incl.
Weight	98 kg	127 kg	136 kg	149 kg
Dimensions HxWxD, mm.	850x1360x700	850x1800x700	850x1360x700	850x1800x700


scan
domestic


scan
cool



Scandomestic A/S - Thrigesvej 2 - DK-8600 Silkeborg
T + 45 7242 5571 - F + 45 8622 5571 - scandomestic.dk